

Title: Silver nanoparticles for the detection of cell surface antigens in mass cytometry

Authors: Schulz et al

Publication: Cytometry Part A, June 2016

Data Source: Supplementary Table S1

Antibody	Clone	Label	Supplier	Conjugation	Concentration [mg/mL]	Working dilution
CD45	HI30	104Pd	Biologend	in-house	0.17	5.2%
CD45	HI30	110Pd	Biologend	in-house	0.26	7.6%
CD45	5B1	113In	Miltenyi	in-house	0.5	18.1%
CD45	5B1	115In	Miltenyi	in-house	0.5	18.1%
CD19	Bu-12	142Nd	DRFZ	in-house	0.5	18.1%
CD4	TT1	144Nd	DRFZ	in-house	0.5	31.9%
CD4	RPA-T4	144Nd	Biologend	in-house	0.5	31.9%
CD20	2H7	147Sm	Fluidigm	Fluidigm	n.a.	11.1%
CD14	RMO52	148Nd	Fluidigm	Fluidigm	n.a.	18.1%
CD66ace	ASL-32	149Sm	Fluidigm	Fluidigm	n.a.	11.1%
CD25	2A4	149Sm	Fluidigm	Fluidigm	n.a.	11.1%
CD123	6H6	151Eu	Fluidigm	Fluidigm	n.a.	11.1%
CD45RA	4G11	152Sm	DRFZ	in-house	0.5	18.1%
CD45	HI30	154Sm	Fluidigm	Fluidigm	n.a.	18.1%
CCR7	G04307	159Tb	Fluidigm	Fluidigm	n.a.	7.6%
FoxP3	PCH101	162Dy	Fluidigm	Fluidigm	n.a.	5.9%
CD56	NCAM16.2	163Dy	Fluidigm	Fluidigm	n.a.	18.1%
CD127	A019D5	165Ho	Fluidigm	Fluidigm	n.a.	7.6%
Anti-Biotin	1D4-C5	165Ho	Fluidigm	Fluidigm	n.a.	11.1%
CD36	AC106	166Er	Miltenyi	in-house	0.38	31.9%
CD8	SK1	168Er	Fluidigm	Fluidigm	n.a.	11.1%
CD16	3G8	169Tm	Biologend	in-house	0.5	18.1%
CD3	UCHT1	170Er	DRFZ	in-house	0.37	18.1%
CD38	HIT2	172Yb	Fluidigm	Fluidigm	n.a.	7.6%
HLA-DR	L243	174Yb	Fluidigm	Fluidigm	n.a.	11.1%
CD66b	REA306	175Lu	Miltenyi	in-house	0.38	31.9%
CD15	W6D3	175Lu	Biologend	in-house	0.5	7.6%
CD45	5B1	176Yb	Miltenyi	in-house	0.5	59.7%
CD56	NCAM16.2	176Yb	Fluidigm	Fluidigm	n.a.	7.6%
CD45	HI30	195Pt	Biologend	in-house	0.26	11.1%
CD45	HI30	198Pt	Biologend	in-house	n.a.	7.6%
CD4	TT1	Biotin	DRFZ	in-house	0.71	31.9%
CD8	GN11/134D7	Biotin	DRFZ	in-house	0.54	11.1%
CD11b	OKM-1	Biotin	DRFZ	in-house	0.43	31.9%
CD45RO	UCHL-1	Biotin	DRFZ	in-house	n.a.	5.6%
CD244	ebioC1.7	Biotin	eBioscience	eBioscience	0.5	18.1%
CD294	BM16	Biotin	Miltenyi	Miltenyi	n.a.	4.9%
CD294	BM16	163Dy	Fluidigm	Fluidigm	n.a.	7.6%
CD25	BC96	Biotin	Biologend	Biologend	0.5	11.1%
CD16	3G8	Biotin	Biologend	Biologend	0.5	11.1%
CD57	TB03	Biotin	Miltenyi	Miltenyi	n.a.	4.9%
Beriglobin	-	-	CSL Behring	-	160	59.7%